

IN THE CLAIMS:

1. (Canceled)
2. (Previously Presented) An integrated tuner comprising: a step Automatic Gain Control (AGC) amplifier; and means for adjusting the step AGC amplifier (1) only during a vertical synchronization interval, wherein the adjusting means comprise: a clock generator for generating clock pulses; an up/down counter for generating control signals to adjust the step AGC amplifier; means for passing said clock pulses to said up/down counter only during said vertical synchronization interval.
3. (Previously Presented) An integrated tuner as claimed in claim 2, wherein the adjusting means further comprise: a level detector coupled to an output of the step AGC amplifier; and a dual comparator coupled to an output of said level detector to provide up/down control signals to said up/down counter in dependence on an output signal of said level detector.
4. (Previously Presented) An integrated tuner as claimed in claim 3, wherein the level detector continuously measures a total power of all signals in all channels applied to the step AGC amplifier.
5. (Currently Amended) A receiver comprising: an integrated tuner as claimed in claim [[1]] 11; and an IF demodulation circuit) for providing a vertical ~~syn~~ynchronization signal to the integrated tuner.

6. (Previously Presented) An integrated tuner comprising:

- a step Automatic Gain Control (AGC) amplifier;
- a synchronization slicer for separating a vertical synchronization signal from a Composite Video Broadcast Signal (CVBS) signal;
- means for adjusting the step AGC amplifier only during a vertical synchronization interval output pulse period of the synchronization slicer;
- wherein a width of the vertical synchronization signal output from the synchronization slicer is adjusted to control a number of pulses output to the means for adjusting the AGC amplifier.

7. (Previously Presented) An integrated tuner as claimed in claim 6, wherein the adjusting means comprise: a clock generator for generating clock pulses; an up/down counter for generating control signals to adjust the step AGC amplifier; means for passing said clock pulses to said up/down counter only during said vertical synchronization interval.

8. (Previously Presented) An integrated tuner as claimed in claim 7, wherein the adjusting means further comprise: a level detector coupled to an output of the step AGC amplifier; and a dual comparator coupled to an output of said level detector to provide up/down control signals to said up/down counter in dependence on an output signal of said level detector.

9. (Previously Presented) An integrated tuner as claimed in claim 8, wherein the level detector continuously measures a total power of all signals in all channels applied to the step AGC amplifier.

10. (Previously Presented) A receiver comprising: an integrated tuner as claimed in claim 6; and an IF demodulation circuit for providing a vertical sync signal to the integrated tuner.

11. (New) An integrated tuner comprising:
a step Automatic Gain Control (AGC) amplifier;
means for adjusting the step AGC amplifier only during a vertical synchronization interval and including a gate for connecting a step-controlling signal to the step AGC amplifier only during a pulse width of a vertical synchronization pulse.

12. (New) An integrated circuit for a tuner application comprising the step AGC according to claim 2.